

VOLUMETABELLEN

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 VOORPIEK ONDER SPT.147-V.ST
 COMP. NO 46

LEVEL FROM		VOLUME	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM	CUBM	LPP/2	BL	M2	LPP/2	CL	TRANSV LONGITUD
.000	.000	.0	50.978	.145	4.067	51.044	.000	.17
.250	.250	.733	51.035	.286	4.991	51.095	.000	.31
.500	.500	1.842	51.109	.436	6.579	51.320	.000	.60
.750	.750	3.252	51.188	.592	7.873	51.346	.000	1.03
1.000	1.000	5.023	51.239	.750	9.320	51.372	.000	1.69
1.250	1.250	7.125	51.277	.912	10.854	51.396	.000	2.65
1.500	1.500	9.597	51.305	1.075	12.163	51.406	.000	3.73
1.750	1.750	12.424	51.383	1.245	14.791	51.845	.000	5.01
2.000	2.000	15.759	51.468	1.412	15.192	51.823	.000	5.46
2.250	2.250	19.437	51.525	1.567	15.258	51.818	.000	5.54
2.500	2.500	23.173	51.507	1.659	13.327	51.336	.000	5.00
2.750	2.750	26.480	51.484	1.827	12.977	51.249	.000	4.78
3.000	3.000	29.708	51.451	1.946	11.267	50.921	.000	3.85
3.250	3.250	32.714	51.398	2.046	8.830	50.390	.000	2.92
3.500	3.500	35.188	51.334	2.128	7.131	49.936	.000	2.55
3.750	3.750	37.130	51.266	2.198	6.292	49.581	.000	2.81
4.000	4.000	38.686	51.200	2.275	6.823	49.624	.000	3.43
4.250	4.250	40.288	51.135	2.364	7.681	49.695	.000	4.40
4.500	4.500	42.059	51.071	2.467	8.726	49.768	.000	5.76
4.750	4.750	44.068	51.009	2.585	9.762	49.831	.000	7.35
5.000	5.000	46.333	50.950	2.716	10.785	49.898	.000	9.12
5.250	5.250	48.850	50.895	2.859	11.842	49.956	.000	11.21
5.500	5.500	51.622	50.845	3.012	12.930	50.007	.000	13.68
5.750	5.750	54.656	50.798	3.176	14.046	50.052	.000	16.58
6.000	6.000	57.960	50.757	3.348	15.388	50.137	.000	19.97
6.250	6.250	61.558	50.722	3.530	16.766	50.211	.000	23.92
6.500	6.500	65.496	50.693	3.720	18.181	50.277	.000	28.49
6.750	6.750	69.777	50.669	3.917	19.632	50.335	.000	33.76
7.000	7.000	74.409	50.649	4.118	21.115	50.387	.000	39.82
7.250	7.250	79.401	50.636	4.326	22.842	50.470	.000	46.76
7.500	7.500	84.791	50.649	4.497	21.218	50.979	.000	46.76
7.750	7.750	89.435	50.683	4.676	19.694	50.921	.000	27.85
8.000	8.000	94.446	50.705	4.863	22.791	51.032	.000	34.35
8.250	8.250	99.837	50.733	5.055	24.918	51.164	.000	41.84
8.500	8.500	105.636	50.764	5.258	26.845	51.241	.000	41.84
8.750	8.750	111.976	50.798	5.465	28.826	51.311	.000	50.47
9.000	9.000	118.795	50.833	5.678	32.962	51.376	.000	60.36
9.250	9.250	126.106	50.872	5.894	35.610	51.436	.000	71.64
9.500	9.500	133.924	50.908	6.114	38.607	51.499	.000	84.49
9.750	9.750	142.317	50.945	6.348	42.454	51.553	.000	99.10
10.000	10.000	151.754	50.983	6.593	45.178	51.574	.000	115.72
10.250	10.250	161.830	51.021	6.819	47.973	51.618	.000	123.35
10.500	10.500	172.564	51.068	7.297	52.485	51.820	.000	133.35
10.750	10.750	183.974	51.118	7.539	55.777	51.881	.000	151.29
11.000	11.000	196.388	51.168	7.780	59.146	51.937	.000	166.79
11.250	11.250	209.650	51.217	8.021	62.597	51.989	.000	193.51
11.500	11.500	223.727	51.267	8.260	66.676	52.082	.000	223.45
11.750	11.750	238.639					.000	256.95
12.000	12.000	254.434					.000	294.74
							.000	336.80
							.000	383.80
							.000	436.28
							.000	495.09
							.000	533.73
							.000	585.79
							.000	631.32
							.000	681.47

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 VOORPIEK BOVEN SPT.147-V.STEVEN
 COMP. NO 56

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
		LPP/2	BL	M2	LPP/2	CL	TRANSV LONGITUD
11.953	.000						
12.053	3.526	52.182	12.026	68.113	52.145	.000	508.70
12.153	10.276	52.165	12.077	69.654	52.168	.000	534.75
12.253	17.179	52.171	12.127	71.208	52.191	.000	561.81
12.353	24.234	52.180	12.178	72.787	52.213	.000	590.34
12.453	31.445	52.190	12.230	74.378	52.234	.000	620.06
12.553	38.813	52.200	12.282	75.986	52.255	.000	651.12
12.653	46.339	52.211	12.334	77.613	52.275	.000	683.60
12.753	54.025	52.221	12.386	79.250	52.295	.000	717.41
12.853	61.873	52.232	12.439	80.912	52.314	.000	752.97
12.953	69.885	52.243	12.492	82.584	52.333	.000	789.88
13.053	78.060	52.253	12.546	84.282	52.352	.000	828.68
13.153	86.404	52.263	12.600	86.002	52.370	.000	869.42
13.253	94.917	52.274	12.654	87.730	52.387	.000	911.64
13.353	103.826	52.297	12.710	93.442	52.661	.000	959.07
13.453	113.083	52.328	12.766	95.480	52.689	.000	1006.14
13.553	122.541	52.357	12.823	97.542	52.715	.000	1055.46
13.653	132.201	52.384	12.880	99.605	52.740	.000	1106.58
13.753	142.065	52.410	12.937	101.701	52.765	.000	1160.30
13.853	152.135	52.434	12.995	103.814	52.789	.000	1216.45
13.953	162.413	52.457	13.052	105.949	52.813	.000	1275.25
14.053	172.901	52.480	13.110	108.096	52.835	.000	1336.42
14.153	183.601	52.501	13.168	110.280	52.857	.000	1400.97
14.253	194.516	52.522	13.226	112.475	52.878	.000	1467.94
14.353	205.647	52.541	13.284	114.687	52.899	.000	1537.88
14.453	216.997	52.561	13.343	116.940	52.918	.000	1611.76
14.553	228.568	52.579	13.401	119.212	52.938	.000	1688.78
14.653	240.392	52.598	13.460	122.963	53.033	.000	1771.64
14.700	246.106	52.608	13.489				1068.89

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 DIEPTANK NO.1 SPT.138-147 SB
 COMP. NO 44

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
		LPP/2	BL CL	M2	LPP/2 CL	TRANSV	LONGITUD
.000	.0	46.108	.145	1.753	46.042	.214	.03
.250	.306	46.020	.292	2.379	45.916	.303	.09
.500	.814	45.964	.445	3.076	45.884	.395	.21
.750	1.484	45.933	.601	3.733	45.874	.480	.37
1.000	2.319	45.915	.759	4.336	45.876	.556	.58
1.250	3.308	45.906	.917	4.900	45.883	.627	.82
1.500	4.440	45.902	1.074	5.449	45.891	.695	1.11
1.750	5.708	45.900	1.233	6.005	45.895	.763	1.46
2.000	7.111	45.899	1.392	6.573	45.894	.834	1.89
2.250	8.651	45.898	1.552	7.142	45.892	.906	2.40
2.500	10.331	45.897	1.713	7.714	45.893	.978	3.00
2.750	12.151	45.898	1.875	8.288	45.898	1.048	3.67
3.000	14.111	45.900	2.037	8.868	45.909	1.117	4.40
3.250	16.213	45.902	2.200	9.455	45.923	1.184	5.21
3.500	18.457	45.903	2.363	10.046	45.938	1.252	6.11
3.750	20.846	45.908	2.527	10.635	45.950	1.320	7.10
4.000	23.380	45.913	2.691	11.218	45.959	1.388	8.22
4.250	26.057	45.918	2.856	11.800	45.968	1.456	9.44
4.500	28.876	45.923	3.021	12.383	45.976	1.524	10.78
4.750	31.839	45.928	3.186	12.967	45.983	1.593	12.24
5.000	34.944	45.902	3.370	21.837	44.860	2.048	30.20
5.250	38.597	45.774	3.619	22.735	44.869	2.117	33.45
5.500	44.057	45.671	3.848	23.630	44.878	2.186	36.90
5.750	49.737	45.587	4.063	24.526	44.886	2.255	40.59
6.000	55.636	45.518	4.267	25.420	44.895	2.324	44.51
6.250	61.754	45.460	4.464	26.313	44.903	2.393	48.66
6.500	68.091	45.412	4.653	27.206	44.910	2.461	53.07
6.750	74.648	45.370	4.838	28.098	44.918	2.530	57.72
7.000	81.422	45.335	5.019	28.987	44.926	2.598	62.60
7.250	88.415	45.304	5.197	29.877	44.934	2.666	67.75
7.500	95.626	45.302	5.348	26.354	45.258	2.899	66.55
7.750	101.974	45.299	5.501	27.243	45.256	2.973	71.57
8.000	108.540	45.296	5.655	28.131	45.255	3.046	76.81
8.250	115.323	45.294	5.811	29.021	45.254	3.120	82.33
8.500	122.325	45.288	6.285	29.910	45.253	3.192	88.09
8.750	129.544	45.286	6.444	30.800	45.254	3.265	94.13
9.000	136.980	45.284	6.604	31.690	45.254	3.338	100.45
9.250	144.635	45.283	6.765	32.580	45.255	3.410	107.05
9.500	152.509	45.282	6.927	33.471	45.256	3.482	113.94
9.750	160.600	45.281	7.089	34.362	45.258	3.554	121.14
10.000	168.910	45.280	7.251	35.252	45.259	3.625	128.61
10.250	177.437	45.278	7.414	36.142	45.261	3.697	136.41
10.500	186.183	45.277	7.577	37.031	45.264	3.768	144.52
10.750	195.147	45.276	7.741	37.921	45.266	3.839	152.97
11.000	204.328	45.275	7.905	38.809	45.269	3.910	161.73
11.250	213.728	45.274	8.069	39.697	45.271	3.981	170.84
11.500	223.345	45.273	8.233	40.584	45.272	4.052	180.30
11.750	233.179	45.272	8.400	41.472	45.273	4.123	190.11
12.000	243.231	45.271	8.569	42.361	45.274	4.194	200.24

12.000 12.000 243.231 45.277 8.069 2.882

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 DIEPTANK NO. 1 SPT.138-141 BB ZWARE OLLIE
 COMP. NO 45

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
		LPP/2	BL CL	M2	LPP/2 CL	TRANSV	LONGITUD
.000	.000						
.250	.306	46.108	.145	1.753	46.042		.03
.500	.814	46.020	.292	2.389	45.916		.09
.750	1.484	45.964	.445	3.076	45.884		.21
1.000	2.319	45.933	.601	3.733	45.874		.37
1.250	3.308	45.915	.759	4.336	45.876		.58
1.500	4.440	45.906	.917	4.900	45.883		.82
1.750	5.708	45.902	1.074	5.449	45.891		1.11
2.000	7.111	45.900	1.233	6.005	45.895		1.46
2.250	8.651	45.899	1.392	6.573	45.894		1.89
2.500	10.331	45.898	1.552	7.142	45.892		2.40
2.750	12.151	45.897	1.713	7.714	45.893		3.00
3.000	14.111	45.897	1.875	8.288	45.898		3.67
3.250	16.213	45.898	2.037	8.868	45.909		4.40
3.500	18.457	45.900	2.200	9.455	45.923		5.21
3.750	20.846	45.903	2.363	10.046	45.938		6.11
4.000	23.380	45.908	2.527	10.635	45.950		7.10
4.250	26.057	45.913	2.691	11.218	45.959		8.22
4.500	28.876	45.918	2.856	11.800	45.968		9.44
4.750	31.839	45.923	3.021	12.383	45.976		10.78
5.000	34.944	45.928	3.186	12.967	45.983		12.24
5.250	38.197	45.902	3.370	13.550	45.986		13.84
5.500	41.607	45.902	3.561	14.133	45.986		15.58
5.750	45.173	45.902	3.757	14.716	45.986		17.47
6.000	48.896	45.902	3.958	15.300	45.986		19.50
6.250	52.676	45.902	4.164	15.885	45.986		21.68
6.500	56.513	45.902	4.375	16.471	45.986		24.01
6.750	60.407	45.902	4.591	17.058	45.986		26.50
7.000	64.357	45.902	4.812	17.646	45.986		29.15
7.250	68.363	45.902	5.038	18.235	45.986		31.97
7.500	72.425	45.902	5.269	18.825	45.986		34.96
7.750	76.543	45.902	5.505	19.416	45.986		38.13
8.000	80.717	45.902	5.746	20.008	45.986		41.47
8.250	84.947	45.902	6.000	20.602	45.986		45.00
8.500	89.233	45.902	6.260	21.198	45.986		48.72
8.750	93.575	45.902	6.525	21.795	45.986		52.65
9.000	97.973	45.902	6.795	22.393	45.986		56.79
9.250	102.427	45.902	7.070	22.992	45.986		61.14
9.500	106.937	45.902	7.350	23.592	45.986		65.70
9.750	111.503	45.902	7.635	24.193	45.986		70.48
10.000	116.125	45.902	7.925	24.795	45.986		75.49
10.250	120.803	45.902	8.220	25.398	45.986		80.73
10.500	125.537	45.902	8.520	26.002	45.986		86.20
10.750	130.327	45.902	8.825	26.607	45.986		91.91
11.000	135.173	45.902	9.135	27.213	45.986		97.86
11.250	140.075	45.902	9.450	27.820	45.986		104.06
11.500	145.033	45.902	9.770	28.428	45.986		110.51
11.750	150.047	45.902	10.095	29.037	45.986		117.22
12.000	155.117	45.902	10.425	29.647	45.986		124.19

12.000 12.000 243.231 45.277 8.069 -2.882

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B.TANK NO.3 SPT.108-137 SB ZWARE OLIIE
 COMP. NO 38

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA			
BL	BOTTOM		LPP/2	BL	M2	LPP/2	CL	TRANSV LONGITUD		
.000	.000	.0	28.145	.026	2.197	74.120	28.273	2.267	188.58	1943.97
.050	.050	3.454	28.256	.051	2.259	78.830	28.434	2.360	213.42	2125.41
.100	.100	7.207	28.340	.078	2.308	82.435	28.545	2.432	233.88	2262.59
.150	.150	11.160	28.408	.104	2.350	85.432	28.632	2.493	251.74	2375.88
.200	.200	15.275	28.464	.130	2.387	88.033	28.702	2.547	268.03	2472.97
.250	.250	19.527	28.514	.157	2.421	90.375	28.762	2.596	283.31	2560.13
.300	.300	23.898	28.557	.183	2.452	92.533	28.816	2.641	297.81	2640.36
.350	.350	28.380	28.597	.210	2.482	94.562	28.866	2.684	311.83	2715.83
.400	.400	32.965	28.633	.237	2.509	96.491	28.912	2.724	325.49	2787.83
.450	.450	37.646	28.667	.264	2.536	98.341	28.956	2.763	338.87	2857.16
.500	.500	42.420	28.699	.290	2.561	100.100	28.996	2.799	351.93	2923.36
.550	.550	47.282	28.729	.317	2.585	101.776	29.035	2.834	364.57	2986.66
.600	.600	52.228	28.757	.344	2.608	103.379	29.071	2.868	376.88	3047.25
.650	.650	57.254	28.784	.371	2.631	104.897	29.104	2.900	388.88	3104.50
.700	.700	62.357	28.810	.399	2.653	106.373	29.136	2.931	400.68	3160.17
.750	.750	67.534	28.835	.426	2.674	107.793	29.166	2.960	412.29	3213.55
.800	.800	72.781	28.858	.453	2.694	109.172	29.194	2.990	423.77	3265.29
.850	.850	78.097	28.881	.480	2.714	110.519	29.222	3.018	435.15	3315.70
.900	.900	83.479	28.902	.507	2.734	111.826	29.248	3.046	446.44	3364.40
.950	.950	88.927	28.923	.535	2.753	113.115	29.273	3.073	457.70	3412.38
1.000	1.000	94.438	28.943	.562	2.771	114.346	29.297	3.100	468.75	3457.78
1.050	1.050	100.011	28.963	.589	2.790	.000	.000	.000	.00	.00
1.100	1.100	105.644	28.963	.589	2.790	.000	.000	.000	.00	.00
1.100	1.100	105.644	28.963	.589	2.790	.000	.000	.000	.00	.00

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B. TANK NO.3 SPT.108-137 BB ZWARE OLLIE
 COMP. NO 39

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA			
BL	BOTTOM		LPP/2	BL	M2	LPP/2	CL	TRANSV	LONGITUD	
.000	.000	.0	28.145	.026	-2.197	74.120	28.273	-2.267	188.58	1943.97
.050	.050	3.454	28.256	.051	-2.259	78.830	28.434	-2.360	213.42	2125.41
.100	.100	7.207	28.340	.078	-2.308	82.435	28.545	-2.432	233.88	2262.59
.150	.150	11.160	28.408	.104	-2.350	85.432	28.632	-2.493	251.74	2375.88
.200	.200	15.275	28.464	.130	-2.387	88.033	28.702	-2.547	268.03	2472.97
.250	.250	19.527	28.514	.157	-2.421	90.375	28.762	-2.596	283.31	2560.13
.300	.300	23.898	28.557	.183	-2.452	92.533	28.816	-2.641	297.81	2640.36
.350	.350	28.380	28.597	.210	-2.482	94.562	28.866	-2.684	311.83	2715.83
.400	.400	32.965	28.633	.237	-2.509	96.491	28.912	-2.724	325.49	2787.83
.450	.450	37.646	28.667	.264	-2.536	98.341	28.956	-2.763	338.87	2857.16
.500	.500	42.420	28.699	.290	-2.561	100.100	28.996	-2.799	351.93	2923.36
.550	.550	47.282	28.729	.317	-2.585	101.776	29.035	-2.834	364.57	2986.66
.600	.600	52.228	28.757	.344	-2.608	103.379	29.071	-2.868	376.88	3047.25
.650	.650	57.254	28.784	.371	-2.631	104.897	29.104	-2.900	388.88	3104.50
.700	.700	62.357	28.810	.399	-2.653	106.373	29.136	-2.931	400.68	3160.17
.750	.750	67.534	28.835	.426	-2.674	107.793	29.166	-2.960	412.29	3213.55
.800	.800	72.781	28.858	.453	-2.694	109.172	29.194	-2.990	423.77	3265.29
.850	.850	78.097	28.881	.480	-2.714	110.519	29.222	-3.018	435.15	3315.70
.900	.900	83.479	28.902	.507	-2.734	111.826	29.248	-3.046	446.44	3364.40
.950	.950	88.927	28.923	.535	-2.753	113.115	29.273	-3.073	457.70	3412.38
1.000	1.000	94.438	28.943	.562	-2.771	114.346	29.297	-3.100	468.75	3457.78
1.050	1.050	100.011	28.963	.589	-2.790	.000	.000	.000	.000	.000
1.100	1.100	105.644	28.963	.589	-2.790	.000	.000	.000	.000	.000
1.100	1.100	105.644	28.963	.589	-2.790	.000	.000	.000	.000	.000

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B. TANK NO.4 SPT.76-108 M ZWARE OLIIE
 COMP. NO 33

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA M2	CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM		LPP/2	BL		LPP/2	CL	CL	TRANSV
.000	.000	.0	9.800	.025	121.520	9.800	.000	327.18	5242.36
.050	.050	5.954	9.800	.050	121.520	9.800	.000	327.18	5242.36
.100	.100	11.909	9.800	.075	121.520	9.800	.000	327.18	5242.36
.150	.150	17.863	9.800	.100	121.520	9.800	.000	327.18	5242.36
.200	.200	23.818	9.800	.125	121.520	9.800	.000	327.18	5242.36
.250	.250	29.772	9.800	.150	121.520	9.800	.000	327.18	5242.36
.300	.300	35.727	9.800	.175	121.520	9.800	.000	327.18	5242.36
.350	.350	41.681	9.800	.200	121.520	9.800	.000	327.18	5242.36
.400	.400	47.636	9.800	.225	121.520	9.800	.000	327.18	5242.36
.450	.450	53.590	9.800	.250	121.520	9.800	.000	327.18	5242.36
.500	.500	59.545	9.800	.275	121.520	9.800	.000	327.18	5242.36
.550	.550	65.499	9.800	.300	121.520	9.800	.000	327.18	5242.36
.600	.600	71.454	9.800	.325	121.520	9.800	.000	327.18	5242.36
.650	.650	77.408	9.800	.350	121.520	9.800	.000	327.18	5242.36
.700	.700	83.363	9.800	.375	121.520	9.800	.000	327.18	5242.36
.750	.750	89.317	9.800	.400	121.520	9.800	.000	327.18	5242.36
.800	.800	95.272	9.800	.425	121.520	9.800	.000	327.18	5242.36
.850	.850	101.226	9.800	.450	121.520	9.800	.000	327.18	5242.36
.900	.900	107.181	9.800	.475	121.520	9.800	.000	327.18	5242.36
.950	.950	113.135	9.800	.500	121.520	9.800	.000	327.18	5242.36
1.000	1.000	119.090	9.800	.525	121.520	9.800	.000	327.18	5242.36
1.050	1.050	125.044	9.800	.550	121.520	9.800	.000	327.18	5242.36
1.100	1.100	130.999	9.800	.550	121.520	9.800	.000	327.18	5242.36
1.100	1.100	130.999	9.800	.550	.000	.000	.000	.00	.00

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B.TANK NO.4 SPT.80-108 SB ZWARE OLIIE
 COMP. NO 36

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA			
BL	BOTTOM		BL	CL	M2	LPP/2	CL	TRANSV LONGITUD		
.000	.000		10.875	.025	4.949	86.945	10.881	5.029	146.47	2688.91
.050	.050	4.104	10.882	.051	5.018	90.960	10.895	5.132	167.68	2816.88
.100	.100	8.469	10.888	.077	5.072	94.050	10.907	5.211	185.36	2915.43
.150	.150	13.004	10.895	.103	5.118	96.654	10.918	5.278	201.21	2998.57
.200	.200	17.678	10.901	.129	5.159	98.919	10.927	5.337	215.72	3070.82
.250	.250	22.470	10.906	.155	5.195	100.917	10.935	5.388	229.12	3134.81
.300	.300	27.367	10.911	.181	5.229	102.722	10.942	5.435	241.72	3192.38
.350	.350	32.357	10.916	.208	5.260	104.354	10.947	5.477	253.50	3244.57
.400	.400	37.431	10.920	.234	5.288	105.858	10.951	5.516	264.72	3292.60
.450	.450	42.582	10.923	.260	5.315	107.245	10.955	5.552	275.36	3336.88
.500	.500	47.803	10.927	.287	5.341	108.539	10.958	5.586	285.57	3378.20
.550	.550	53.090	10.930	.313	5.364	109.751	10.960	5.617	295.35	3416.84
.600	.600	58.438	10.932	.339	5.387	110.891	10.962	5.647	304.75	3453.19
.650	.650	63.845	10.935	.366	5.409	111.964	10.964	5.675	313.80	3487.46
.700	.700	69.305	10.937	.392	5.429	112.978	10.966	5.701	322.50	3519.87
.750	.750	74.816	10.939	.419	5.449	113.937	10.968	5.726	330.88	3550.58
.800	.800	80.376	10.941	.445	5.468	114.844	10.970	5.750	338.94	3579.73
.850	.850	85.981	10.943	.472	5.486	115.706	10.972	5.772	346.71	3607.48
.900	.900	91.629	10.945	.498	5.503	116.527	10.974	5.793	354.22	3633.98
.950	.950	97.319	10.946	.525	5.520	117.310	10.976	5.814	361.48	3659.35
1.000	1.000	103.048	10.948	.551	5.536	118.057	10.978	5.833	368.50	3683.58
1.050	1.050	108.815	10.950	.578	5.552	.000	.000	.000	.00	.00
1.100	1.100	114.617	10.950	.578	5.552	.000	.000	.000	.00	.00
1.100	1.100	114.617	10.950	.578	5.552	.000	.000	.000	.00	.00

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B. TANK NO.4 SPT.80-108 BB ZWARE OLIJ
 COMP. NO 37

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA			
BL	BOTTOM		BL	CL	M2	LPP/2	CL	TRANSV LONGITUD		
.000	.000	.0	10.875	.025	-4.949	86.945	10.881	-5.029	146.47	2688.91
.050	.050	4.104	10.882	.051	-5.018	90.960	10.895	-5.132	167.68	2816.88
.100	.100	8.469	10.888	.077	-5.072	94.050	10.907	-5.211	185.36	2915.43
.150	.150	13.004	10.895	.103	-5.118	96.654	10.918	-5.278	201.21	2998.57
.200	.200	17.678	10.901	.129	-5.159	98.919	10.927	-5.337	215.72	3070.82
.250	.250	22.470	10.906	.155	-5.195	100.917	10.935	-5.388	229.12	3134.81
.300	.300	27.367	10.911	.181	-5.229	102.722	10.942	-5.435	241.72	3192.38
.350	.350	32.357	10.916	.208	-5.260	104.354	10.947	-5.477	253.50	3244.57
.400	.400	37.431	10.920	.234	-5.288	105.858	10.951	-5.516	264.72	3292.60
.450	.450	42.582	10.923	.260	-5.315	107.245	10.955	-5.552	275.36	3336.88
.500	.500	47.803	10.927	.287	-5.341	108.539	10.958	-5.586	285.57	3378.20
.550	.550	53.090	10.930	.313	-5.364	109.751	10.960	-5.617	295.35	3416.84
.600	.600	58.438	10.932	.339	-5.387	110.891	10.962	-5.647	304.75	3453.19
.650	.650	63.845	10.935	.366	-5.409	111.964	10.964	-5.675	313.80	3487.46
.700	.700	69.305	10.937	.392	-5.429	112.978	10.966	-5.701	322.50	3519.87
.750	.750	74.816	10.939	.419	-5.449	113.937	10.968	-5.726	330.88	3550.58
.800	.800	80.376	10.941	.445	-5.468	114.844	10.970	-5.750	338.94	3579.73
.850	.850	85.981	10.943	.472	-5.486	115.706	10.972	-5.772	346.71	3607.48
.900	.900	91.629	10.945	.498	-5.503	116.527	10.974	-5.793	354.22	3633.98
.950	.950	97.319	10.946	.525	-5.520	117.310	10.976	-5.814	361.48	3659.35
1.000	1.000	103.048	10.948	.551	-5.536	118.057	10.978	-5.833	368.50	3683.58
1.050	1.050	108.815	10.950	.578	-5.552	.000	.000	.000	.000	.00
1.100	1.100	114.617	10.950	.578	-5.552	.000	.000	.000	.000	.00
1.100	1.100	114.617	10.950	.578	-5.552	.000	.000	.000	.000	.00

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B. TANK NO.5 SPT.35-76 M. ZWARE OLIJE
 COMP. NO 32

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM		BL	CL	M2	LPP/2	CL	TRANSV LONGITUD
.000	.000	.0	-16.367	.025	176.918	-16.367	.000	587.03 11867.45
.050	.050	8.669	-16.367	.050	176.918	-16.367	.000	587.03 11867.45
.100	.100	17.338	-16.367	.075	176.918	-16.367	.000	587.03 11867.45
.150	.150	26.007	-16.367	.100	176.918	-16.367	.000	587.03 11867.45
.200	.200	34.676	-16.367	.125	176.918	-16.367	.000	587.03 11867.45
.250	.250	43.345	-16.367	.150	176.918	-16.367	.000	587.03 11867.45
.300	.300	52.014	-16.367	.175	176.918	-16.367	.000	587.03 11867.45
.350	.350	60.683	-16.367	.200	176.918	-16.367	.000	587.03 11867.45
.400	.400	69.352	-16.367	.225	176.918	-16.367	.000	587.03 11867.45
.450	.450	78.021	-16.367	.250	176.918	-16.367	.000	587.03 11867.45
.500	.500	86.690	-16.367	.275	176.918	-16.367	.000	587.03 11867.45
.550	.550	95.359	-16.367	.300	176.918	-16.367	.000	587.03 11867.45
.600	.600	104.028	-16.367	.325	176.918	-16.367	.000	587.03 11867.45
.650	.650	112.697	-16.367	.350	176.918	-16.367	.000	587.03 11867.45
.700	.700	121.366	-16.367	.375	176.918	-16.367	.000	587.03 11867.45
.750	.750	130.035	-16.367	.400	176.918	-16.367	.000	587.03 11867.45
.800	.800	138.704	-16.367	.425	176.918	-16.367	.000	587.03 11867.45
.850	.850	147.373	-16.367	.450	176.918	-16.367	.000	587.03 11867.45
.900	.900	156.042	-16.367	.475	176.918	-16.367	.000	587.03 11867.45
.950	.950	164.711	-16.367	.500	176.918	-16.367	.000	587.03 11867.45
1.000	1.000	173.380	-16.367	.525	176.918	-16.367	.000	587.03 11867.45
1.050	1.050	182.049	-16.367	.550	176.918	-16.367	.000	587.03 11867.45
1.100	1.100	190.718	-16.367	.550	.000	.000	.000	587.03 11867.45
1.100	1.100	190.718	-16.367	.550	.000	.000	.000	.00

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B.TANK NO.5 SPT.52-80 SB M.D.O.
 COMP. NO 34

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM LPP/2	BL	CL	AREA M2	CENTRE OF AREA LPP/2	CL	MOMENT OF INERTIA TRANSV LONGITUD
.000	.000	-8.234	.025	5.044	89.205	-8.234	5.124	155.38
.050	4.215	-8.233	.051	5.113	93.091	-8.232	5.224	176.73
.100	8.687	-8.233	.077	5.165	96.058	-8.230	5.300	194.35
.150	13.323	-8.232	.103	5.210	98.536	-8.229	5.364	209.97
.200	18.092	-8.231	.129	5.248	100.682	-8.228	5.420	224.18
.250	22.974	-8.231	.155	5.283	102.574	-8.227	5.469	237.25
.300	27.955	-8.230	.181	5.315	104.294	-8.227	5.513	249.58
.350	33.023	-8.229	.207	5.345	105.851	-8.226	5.554	261.11
.400	38.173	-8.229	.233	5.372	107.293	-8.225	5.591	272.11
.450	43.395	-8.229	.260	5.398	108.632	-8.224	5.626	282.61
.500	48.686	-8.228	.286	5.422	109.887	-8.223	5.658	292.69
.550	54.040	-8.228	.312	5.445	111.063	-8.222	5.689	302.37
.600	59.453	-8.227	.339	5.467	112.171	-8.221	5.718	311.67
.650	64.923	-8.227	.365	5.487	113.214	-8.221	5.745	320.61
.700	70.445	-8.227	.391	5.507	114.198	-8.220	5.770	329.21
.750	76.017	-8.226	.418	5.526	115.128	-8.219	5.817	337.47
.800	81.635	-8.225	.444	5.544	116.006	-8.218	5.859	345.40
.850	87.298	-8.225	.471	5.562	116.837	-8.217	5.897	353.02
.900	93.003	-8.225	.497	5.578	117.626	-8.217	5.897	360.35
.950	98.747	-8.224	.523	5.595	118.375	-8.217	5.897	367.42
1.000	104.529	-8.224	.550	5.610	119.088	-8.217	5.897	374.23
1.050	110.347	-8.224	.576	5.625	.000	.000	.000	.000
1.100	116.200	-8.224	.576	5.625	.000	.000	.000	.000
1.100	116.200	-8.224	.576	5.625	.000	.000	.000	.000

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 D.B. TANK NO.5 SPT.52-80 BB MDO
 COMP. NO 35

LEVEL FROM BL BOTTOM	VOLUME CUEM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
		LPP/2	BL CL	M2	LPP/2 CL	TRANSV	LONGITUD
.000	.000	-8.234	.025	89.205	-8.234	-5.124	155.38
.050	4.215	-8.233	.051	93.091	-8.232	-5.224	176.73
.100	8.687	-8.233	.077	96.058	-8.230	-5.300	194.35
.150	13.323	-8.232	.103	98.536	-8.229	-5.364	209.97
.200	18.092	-8.231	.129	100.682	-8.228	-5.420	224.18
.250	22.974	-8.231	.155	102.574	-8.228	-5.469	237.25
.300	27.955	-8.230	.181	104.294	-8.227	-5.513	249.58
.350	33.023	-8.230	.207	105.851	-8.227	-5.554	261.11
.400	38.173	-8.229	.233	107.293	-8.226	-5.591	272.11
.450	43.395	-8.229	.260	108.632	-8.225	-5.626	282.61
.500	48.686	-8.228	.286	109.887	-8.224	-5.658	292.69
.550	54.040	-8.228	.312	111.063	-8.223	-5.689	302.37
.600	59.453	-8.227	.339	112.171	-8.222	-5.718	311.67
.650	64.923	-8.227	.365	113.214	-8.221	-5.745	320.61
.700	70.445	-8.227	.391	114.198	-8.221	-5.770	329.21
.750	76.017	-8.226	.418	115.128	-8.220	-5.794	337.47
.800	81.635	-8.226	.444	116.006	-8.219	-5.817	345.40
.850	87.298	-8.225	.471	116.837	-8.219	-5.839	353.02
.900	93.003	-8.225	.497	117.626	-8.218	-5.859	360.35
.950	98.747	-8.225	.523	118.375	-8.217	-5.879	367.42
1.000	104.529	-8.224	.550	119.088	-8.217	-5.897	374.23
1.050	110.347	-8.224	.576	.000	.000	.000	.00
1.100	116.200	-8.224	.576	.000	.000	.000	.00
1.100	116.200	-8.224	.576	.000	.000	.000	.00

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 ZWARE OLIETANK NO.7 SPT.37-52 5B
 COMP. NO 30

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA M2	CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM		LPP/2	BL		LPP/2	CL	CL	TRANSV
.000	.000		-22.606	.052	29.066	-22.741	4.963	24.30	241.80
.100	.100	2.559	-22.726	.106	32.623	-22.894	5.115	31.91	271.87
.200	.200	5.591	-22.807	.160	35.325	-22.988	5.236	39.30	293.75
.300	.300	8.925	-22.870	.214	37.486	-23.058	5.335	46.19	311.30
.400	.400	12.497	-22.920	.269	39.282	-23.115	5.418	52.54	326.13
.500	.500	16.261	-22.963	.324	40.840	-23.162	5.490	58.56	339.07
.600	.600	20.188	-23.000	.379	42.229	-23.202	5.556	64.37	350.56
.700	.700	24.260	-23.032	.433	43.482	-23.237	5.615	69.97	360.92
.800	.800	28.461	-23.061	.488	44.624	-23.268	5.669	75.37	370.35
.900	.900	32.779	-23.087	.543	45.674	-23.296	5.719	80.62	379.04
1.000	1.000	37.204	-23.111	.598	46.644	-23.321	5.766	85.68	387.06
1.100	1.100	41.728	-23.133	.653	47.542	-23.344	5.809	90.56	394.49
1.200	1.200	46.344	-23.154	.708	48.376	-23.366	5.849	95.28	401.41
1.300	1.300	51.044	-23.173	.763	49.149	-23.385	5.887	99.79	407.85
1.400	1.400	55.823	-23.191	.818	49.870	-23.404	5.922	104.14	413.86
1.500	1.500	60.676	-23.207	.873	50.546	-23.421	5.955	108.33	419.49
1.600	1.600	65.596	-23.223	.928	51.179	-23.437	5.985	112.37	424.77
1.700	1.700	70.581	-23.238	.983	51.774	-23.452	6.015	116.27	429.72
1.800	1.800	75.626	-23.252	1.038	52.334	-23.466	6.042	120.03	434.38
1.900	1.900	80.728	-23.265	1.092	52.862	-23.479	6.068	123.65	438.77
2.000	2.000	85.882	-23.277	1.147	53.356	-23.491	6.092	127.12	442.90
2.100	2.100	91.087	-23.289	1.202	53.814	-23.503	6.115	130.38	446.74
2.200	2.200	96.338	-23.301	1.256	54.238	-23.514	6.136	133.45	450.32
2.300	2.300	101.633	-23.312	1.311	54.631	-23.524	6.155	136.35	453.68
2.400	2.400	106.968	-23.322	1.365	54.998	-23.534	6.173	139.07	456.82
2.500	2.500	112.340	-23.332	1.420	55.341	-23.544	6.190	141.65	459.77
2.600	2.600	117.747	-23.332	1.420	55.341	-23.544	6.190	141.65	459.77

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 SLUDGETANK NO.8 SPT.40-52 BB
 COMP. NO 31

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA	CENTRE OF AREA		MOMENT OF INERTIA	
		BL	CL	M2	LPP/2	CL	TRANSV	LONGITUD
.000	.0							
.100	2.090	.051	-4.794	22.534	-22.257	-4.849	13.95	126.77
.200	4.345	.103	-4.835	23.362	-22.372	-4.892	15.12	135.48
.300	6.642	.154	-4.856	23.499	-22.396	-4.899	15.33	137.91
.400	8.947	.204	-4.867	23.520	-22.400	-4.900	15.37	138.27
.500	11.252	.255	-4.874	23.520	-22.400	-4.900	15.37	138.27
.600	13.557	.305	-4.878	23.520	-22.400	-4.900	15.37	138.27
.700	15.862	.355	-4.882	23.520	-22.400	-4.900	15.37	138.27
.800	18.167	.405	-4.884	23.520	-22.400	-4.900	15.37	138.27
.900	20.471	.455	-4.886	23.520	-22.400	-4.900	15.37	138.27
1.000	22.776	.505	-4.887	23.520	-22.400	-4.900	15.37	138.27
1.100	25.081	.555	-4.888	23.520	-22.400	-4.900	15.37	138.27
1.200	27.386	.605	-4.889	23.520	-22.400	-4.900	15.37	138.27
1.300	29.691	.655	-4.890	23.520	-22.400	-4.900	15.37	138.27
1.400	31.996	.705	-4.891	23.520	-22.400	-4.900	15.37	138.27
1.500	34.301	.755	-4.891	23.520	-22.400	-4.900	15.37	138.27
1.600	36.606	.806	-4.892	23.520	-22.400	-4.900	15.37	138.27
1.700	38.911	.856	-4.892	23.520	-22.400	-4.900	15.37	138.27
1.800	41.216	.906	-4.893	23.520	-22.400	-4.900	15.37	138.27
1.900	43.521	.956	-4.893	23.520	-22.400	-4.900	15.37	138.27
2.000	45.826	1.006	-4.894	23.520	-22.400	-4.900	15.37	138.27
2.100	48.131	1.056	-4.894	23.520	-22.400	-4.900	15.37	138.27
2.200	50.436	1.106	-4.894	23.520	-22.400	-4.900	15.37	138.27
2.300	52.741	1.156	-4.894	23.520	-22.400	-4.900	15.37	138.27
2.400	55.046	1.206	-4.895	23.520	-22.400	-4.900	15.37	138.27
2.500	57.351	1.256	-4.895	23.520	-22.400	-4.900	15.37	138.27
2.600	59.656	1.306	-4.895	23.520	-22.400	-4.900	15.37	138.27
2.600	59.656	1.306	-4.895	23.520	-22.400	-4.900	15.37	138.27

YSEL-VLIËT COMBINATIE B.V. YARDNO.219 R08716
 SMEEROLIETANK NO.9 SPT.28-36 SB
 COMP. NO 26

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
		BL	CL	M2	LPP/2	CL	TRANSV LONGITUD
.000	.0						
.100	.127	-30.391	.062	2.140	-30.599	3.897	.17
.200	.404	-30.646	.125	3.463	-30.870	4.023	.46
.300	.802	-30.818	.188	4.675	-31.114	4.107	.87
.400	1.316	-30.970	.252	5.811	-31.287	4.184	1.37
.500	1.940	-31.096	.316	6.920	-31.424	4.260	1.97
.600	2.671	-31.200	.380	7.967	-31.519	4.338	2.65
.700	3.499	-31.284	.445	8.935	-31.588	4.412	3.41
.800	4.420	-31.353	.508	9.845	-31.642	4.484	4.24
.900	5.427	-31.411	.572	10.710	-31.685	4.553	5.14
1.000	6.518	-31.460	.635	11.543	-31.722	4.621	6.12
1.100	7.689	-31.503	.698	12.348	-31.754	4.686	7.18
1.200	8.937	-31.540	.762	13.122	-31.782	4.750	8.31
1.300	10.260	-31.573	.825	13.868	-31.806	4.812	9.51
1.400	11.654	-31.602	.888	14.585	-31.828	4.871	10.77
1.500	13.118	-31.628	.950	15.276	-31.847	4.929	12.09
1.600	14.648	-31.652	1.013	15.940	-31.865	4.985	13.45
1.700	16.241	-31.674	1.076	16.579	-31.880	5.038	14.86
1.800	17.896	-31.693	1.138	17.194	-31.895	5.090	16.31
1.900	19.611	-31.712	1.200	17.785	-31.908	5.140	17.79
2.000	21.381	-31.728	1.262	18.354	-31.920	5.188	19.30
2.100	23.207	-31.744	1.324	18.899	-31.932	5.234	20.83
2.200	25.085	-31.758	1.386	19.423	-31.942	5.278	22.37
2.300	27.013	-31.772	1.448	19.928	-31.952	5.321	23.93
2.400	28.990	-31.784	1.509	20.416	-31.961	5.363	25.51
2.500	31.014	-31.796	1.571	20.888	-31.970	5.403	27.10
2.600	33.084	-31.807	1.632	21.346	-31.978	5.442	28.71
2.600	33.084	-31.807	1.632				

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 SMEEROLIETANK NO.10 RED.KAST SPT.26-28
 COMP. NO 28

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM LPP/2	BL	CL	AREA M2	CENTRE OF AREA LPP/2	CL	MOMENT OF INERTIA TRANSV LONGITUD
.378	.000	-35.001	.445	3.562	.043	-35.001	3.593	.00
.478	.100	-35.223	.525	3.596	.197	-35.400	3.612	.00
.578	.200	-35.223	.601	3.632	.387	-35.492	3.675	.01
.678	.300	-35.383	.671	3.672	.591	-35.560	3.736	.01
.778	.400	-35.465	.740	3.715	.788	-35.593	3.801	.03
.878	.500	-35.514	.808	3.758	.981	-35.612	3.867	.05
.978	.600	-35.546	.875	3.801	1.171	-35.625	3.933	.08
1.078	.700	-35.568	.942	3.844	1.359	-35.634	3.998	.12
1.178	.800	-35.584	1.008	3.887	1.540	-35.641	4.062	.17
1.278	.900	-35.597	1.074	3.930	1.716	-35.647	4.124	.24
1.378	1.000	-35.607	1.140	3.972	1.890	-35.651	4.185	.30
1.478	1.100	-35.615	1.206	4.013	2.057	-35.655	4.244	.40
1.578	1.200	-35.621	1.271	4.053	2.222	-35.658	4.302	.50
1.678	1.300	-35.626	1.337	4.093	2.382	-35.660	4.359	.61
1.778	1.400	-35.631	1.402	4.132	2.539	-35.663	4.415	.73
1.878	1.500	-35.635	1.467	4.170	2.694	-35.665	4.469	.87
1.978	1.600	-35.639	1.532	4.208	2.843	-35.667	4.522	1.02
2.078	1.700	-35.642	1.597	4.245	2.991	-35.668	4.575	1.18
2.178	1.800	-35.645	1.661	4.281	3.134	-35.670	4.626	1.35
2.278	1.900	-35.647	1.726	4.317	3.276	-35.671	4.676	1.54
2.378	2.000	-35.649	1.790	4.352	3.412	-35.673	4.724	1.74
2.478	2.100	-35.651	1.854	4.387	3.549	-35.674	4.773	1.95
2.578	2.200	-35.653	1.868	4.394				
2.600	2.222	-35.654	1.868	4.394				

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 DRINKWATERPANK HEK-SPT.10 SB TANK II
 COMP. NO 48

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA M2	CENTRE OF AREA		MOMENT OF INERTIA	
		BL	CL		LPP/2	CL	TRANSV	LONGITUD
3.300	.000							
3.400	.235	-48.678	3.350	2.418	-48.672	.502	.29	1.35
3.500	.474	-48.674	3.401	2.462	-48.667	.513	.32	1.37
3.600	.718	-48.670	3.451	2.511	-48.662	.526	.34	1.39
3.700	.967	-48.668	3.502	2.564	-48.657	.539	.37	1.41
3.800	1.221	-48.665	3.554	2.624	-48.653	.554	.40	1.43
3.900	1.481	-48.663	3.606	2.694	-48.649	.571	.43	1.45
4.000	1.749	-48.660	3.659	2.770	-48.645	.589	.47	1.48
4.100	2.025	-48.658	3.712	2.865	-48.647	.608	.52	1.54
4.200	2.311	-48.657	3.766	2.966	-48.649	.629	.57	1.59
4.300	2.606	-48.656	3.821	3.074	-48.652	.650	.63	1.66
4.400	2.913	-48.656	3.877	3.190	-48.652	.672	.70	1.73
4.500	3.232	-48.656	3.934	3.318	-48.659	.697	.78	1.80
4.600	3.564	-48.656	3.991	3.458	-48.664	.723	.87	1.89
4.700	3.910	-48.657	4.049	3.617	-48.672	.751	.98	2.00
4.800	4.275	-48.660	4.109	3.823	-48.696	.775	1.12	2.24
4.900	4.661	-48.664	4.171	4.050	-48.719	.804	1.29	2.49
5.000	5.070	-48.669	4.233	4.302	-48.742	.837	1.48	2.75
5.100	5.509	-48.677	4.299	4.665	-48.791	.871	1.75	3.27
5.200	5.984	-48.688	4.366	5.033	-48.832	.911	2.04	3.78
5.300	6.499	-48.701	4.436	5.487	-48.870	.969	2.44	4.33
5.400	7.063	-48.716	4.509	6.124	-48.953	1.017	3.09	5.62
5.500	7.711	-48.743	4.575	7.123	-49.105	1.063	4.04	8.20
5.600	8.471	-48.783	4.689	8.417	-49.273	1.130	5.37	11.86
5.700	9.384	-48.843	4.770	10.281	-49.517	1.200	7.49	19.10
5.800	10.496	-48.926	4.874	12.430	-49.708	1.315	10.23	26.49
5.900	11.816	-49.021	4.983	14.455	-49.833	1.450	13.46	32.69
6.000	13.309	-49.119	5.092	15.998	-49.943	1.575	16.42	37.34
6.100	14.954	-49.213	5.197	17.558	-50.013	1.689	19.80	42.24
6.200	16.731	-49.308	5.298	18.806	-50.188	1.834	23.08	51.20
6.300	18.693	-49.415	5.398	21.383	-50.496	1.902	29.42	88.07
6.400	20.885	-49.547	5.498	23.043	-50.870	2.051	33.67	126.94
6.500	23.182	-49.692	5.593	23.806	-51.106	2.272	34.66	163.35
6.600	25.576	-49.830	5.682	25.404	-51.233	2.428	37.96	193.08
6.700	28.179	-49.966	5.772	27.671	-51.372	2.518	44.47	221.05
6.800	30.997	-50.099	5.861	29.812	-51.480	2.611	51.32	246.29
6.900	34.012	-50.226	5.948	30.878	-51.686	2.676	55.33	254.60
7.000	36.617	-50.378	6.020	32.354	-53.148	2.490	34.15	135.01
7.100	38.343	-50.540	6.066	33.137	-55.041	2.188	15.62	41.06
7.200	39.375	-50.677	6.094	33.137	-56.204	2.019	10.43	8.27
7.300	40.403	-50.818	6.124	33.137	-56.207	2.019	10.43	8.27
7.400	41.505	-50.961	6.156	33.137	-56.209	2.139	12.61	8.91
7.500	42.674	-51.105	6.192	33.137	-56.209	2.254	14.96	9.51
7.600	43.908	-51.248	6.230	33.137	-56.210	2.361	17.45	10.08
7.700	45.202	-51.390	6.270	33.137	-56.210	2.461	20.02	10.61
7.800	46.552	-51.530	6.313	33.137	-56.210	2.554	22.65	11.10
7.900	47.953	-51.667	6.358	33.137	-56.210	2.641	25.30	11.55
8.000	49.402	-51.800	6.405	33.137	-56.210	2.721	27.96	11.97
8.100	50.859	-51.928	6.452	33.137	-56.210	2.796	30.59	12.37
8.200				10.209	-56.794	2.618	22.07	3.19

8.200	4.900	51.510	-51.992	6.473	1.995	2.337	-57.642	2.505	4.89	.01
8.210	4.910	51.515	-51.993	6.473	1.995					

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 DRINKWATERTANK HEK-SPT.10 BB TANK II
 COMP. NO 49

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM LPP/2	BL	CL	AREA M2	CENTRE OF AREA LPP/2	CL	MOMENT OF INERTIA TRANSV LONGITUD
3.300	.000	-48.678	3.350	-495	2.418	-48.672	-502	.29
3.400	.235	-48.674	3.401	-501	2.462	-48.667	-513	.32
3.500	.474	-48.670	3.451	-508	2.511	-48.662	-526	.34
3.600	.718	-48.668	3.502	-514	2.564	-48.657	-539	.37
3.700	.967	-48.665	3.554	-521	2.624	-48.653	-554	.40
3.800	1.221	-48.663	3.606	-528	2.694	-48.649	-571	.43
3.900	1.481	-48.660	3.659	-536	2.770	-48.645	-589	.47
4.000	1.749	-48.658	3.712	-544	2.865	-48.647	-608	.52
4.100	.800	-48.657	3.766	-554	2.966	-48.649	-629	.57
4.200	2.311	-48.656	3.821	-563	3.074	-48.652	-650	.63
4.300	2.606	-48.656	3.877	-574	3.190	-48.655	-672	.70
4.400	2.913	-48.656	3.934	-585	3.318	-48.659	-697	.78
4.500	3.232	-48.656	3.991	-596	3.458	-48.664	-723	.87
4.600	3.564	-48.657	4.049	-609	3.617	-48.672	-751	.98
4.700	3.910	-48.660	4.109	-622	3.823	-48.696	-775	1.12
4.800	4.275	-48.664	4.171	-636	4.050	-48.719	-804	1.29
4.900	4.661	-48.669	4.233	-651	4.302	-48.742	-837	1.48
5.000	5.070	-48.677	4.299	-667	4.665	-48.791	-871	1.75
5.100	5.509	-48.701	4.366	-684	5.033	-48.832	-911	2.04
5.200	5.984	-48.716	4.509	-728	5.487	-48.870	-969	2.44
5.300	6.499	-48.743	4.589	-754	6.124	-48.953	-1.063	3.09
5.400	7.063	-48.783	4.675	-785	7.123	-49.105	-1.130	4.04
5.500	7.711	-48.843	4.770	-821	8.417	-49.273	-1.130	5.37
5.600	8.471	-48.926	4.874	-867	10.281	-49.517	-1.200	7.49
5.700	9.384	-49.021	4.983	-925	12.430	-49.708	-1.315	10.23
5.800	10.496	-49.119	5.092	-991	14.455	-49.833	-1.450	13.46
5.900	11.816	-49.213	5.197	-1.062	15.998	-49.943	-1.575	16.42
6.000	13.309	-49.308	5.298	-1.137	17.558	-50.013	-1.689	19.80
6.100	14.954	-49.415	5.398	-1.214	18.806	-50.188	-1.834	23.08
6.200	16.731	-49.547	5.498	-1.293	21.383	-50.496	-1.902	29.42
6.300	18.693	-49.692	5.593	-1.379	23.043	-50.870	-2.051	33.67
6.400	20.885	-49.830	5.682	-1.471	23.806	-51.106	-2.272	34.66
6.500	23.182	-49.966	5.772	-1.564	25.404	-51.233	-2.428	37.96
6.600	25.576	-50.099	5.861	-1.655	27.671	-51.372	-2.518	44.47
6.700	28.179	-50.226	5.948	-1.743	29.812	-51.480	-2.611	51.32
6.800	30.997	-50.378	6.020	-1.804	30.878	-51.686	-2.676	55.33
6.900	34.012	-50.540	6.066	-1.829	22.354	-53.148	-2.490	34.15
7.000	36.617	-50.677	6.094	-1.835	13.137	-55.041	-2.188	15.62
7.100	38.343	-50.818	6.124	-1.841	10.108	-56.204	-2.019	10.43
7.200	39.375	-50.961	6.156	-1.851	10.872	-56.207	-2.139	12.61
7.300	40.403	-51.105	6.192	-1.863	11.594	-56.209	-2.254	14.96
7.400	41.505	-51.248	6.230	-1.879	12.272	-56.209	-2.361	17.45
7.500	42.674	-51.390	6.270	-1.897	12.904	-56.210	-2.461	20.02
7.600	43.908	-51.530	6.313	-1.917	13.492	-56.210	-2.554	22.65
7.700	45.202	-51.667	6.358	-1.940	14.039	-56.210	-2.641	25.30
7.800	46.552	-51.800	6.405	-1.964	14.546	-56.210	-2.721	27.96
7.900	47.953	-51.928	6.452	-1.988	15.019	-56.210	-2.796	30.59
8.000	49.402				10.209	-56.794	-2.618	22.07
8.100	50.859							3.19

8.200	4.900	51.510	-51.992	6.473	-1.995	2.337	-57.642	-2.505	4.89	.01
8.210	4.910	51.515	-51.993	6.473	-1.995					

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 LEKOLIETANK SPT.35-36 BB
 COMP. NO 29

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM LPP/2	BL	CL	AREA M2	CENTRE OF AREA LPP/2	CL	MOMENT OF INERTIA TRANSV LONGITUD
.000	.000	-29.750	.025	-2.635	1.211	-29.750	-2.635	.30 .05
.050	.059	-29.750	.050	-2.635	1.211	-29.750	-2.635	.30 .05
.100	.119	-29.750	.075	-2.635	1.211	-29.750	-2.635	.30 .05
.150	.178	-29.750	.100	-2.635	1.211	-29.750	-2.635	.30 .05
.200	.237	-29.750	.125	-2.635	1.211	-29.750	-2.635	.30 .05
.250	.297	-29.750	.150	-2.635	1.211	-29.750	-2.635	.30 .05
.300	.356	-29.750	.175	-2.635	1.211	-29.750	-2.635	.30 .05
.350	.415	-29.750	.200	-2.635	1.211	-29.750	-2.635	.30 .05
.400	.475	-29.750	.225	-2.635	1.211	-29.750	-2.635	.30 .05
.450	.534	-29.750	.250	-2.635	1.211	-29.750	-2.635	.30 .05
.500	.593	-29.750	.275	-2.635	1.211	-29.750	-2.635	.30 .05
.550	.653	-29.750	.300	-2.635	1.211	-29.750	-2.635	.30 .05
.600	.712	-29.750	.325	-2.635	1.211	-29.750	-2.635	.30 .05
.650	.771	-29.750	.350	-2.635	1.211	-29.750	-2.635	.30 .05
.700	.831	-29.750	.375	-2.635	1.211	-29.750	-2.635	.30 .05
.750	.890	-29.750	.400	-2.635	1.211	-29.750	-2.635	.30 .05
.800	.949	-29.750	.425	-2.635	1.211	-29.750	-2.635	.30 .05
.850	1.009	-29.750	.450	-2.635	1.211	-29.750	-2.635	.30 .05
.900	1.068	-29.750	.475	-2.635	1.211	-29.750	-2.635	.30 .05
.950	1.127	-29.750	.500	-2.635	1.211	-29.750	-2.635	.30 .05
1.000	1.187	-29.750	.525	-2.635	1.211	-29.750	-2.635	.30 .05
1.050	1.246	-29.750	.550	-2.635	1.211	-29.750	-2.635	.30 .05
1.100	1.305	-29.750	.550	-2.635	.000	.000	.000	.30 .00
1.150	1.305	-29.750	.550	-2.635	.000	.000	.000	.30 .00

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 SMEEROLIE CIRCULATIETANK SPT.25-34 SB
 COMP. NO 24

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM LPP/2	BL	CL	AREA M2	CENTRE OF AREA LPP/2	CL	MOMENT OF INERTIA TRANSV LONGITUD
.100	.000	.0	.125	1.125	1.806	-33.950	1.125	.25
.150	.050	.088	.150	1.125	1.806	-33.950	1.125	.25
.200	.100	.177	.175	1.125	8.127	-33.950	1.125	1.13
.250	.150	.265	.235	1.125	8.127	-33.950	1.125	1.13
.300	.200	.664	.269	1.125	8.127	-33.950	1.125	1.13
.350	.250	1.062	.298	1.125	8.127	-33.950	1.125	1.13
.400	.300	1.460	.325	1.125	8.127	-33.950	1.125	1.13
.450	.350	1.858	.351	1.125	8.127	-33.950	1.125	1.13
.500	.400	2.257	.378	1.125	8.127	-33.950	1.125	1.13
.550	.450	2.655	.403	1.125	8.127	-33.950	1.125	1.13
.600	.500	3.053	.429	1.125	8.127	-33.950	1.125	1.13
.650	.550	3.451	.454	1.125	8.127	-33.950	1.125	1.13
.700	.600	3.849	.480	1.125	8.127	-33.950	1.125	1.13
.750	.650	4.248	.505	1.125	8.127	-33.950	1.125	1.13
.800	.700	4.646	.530	1.125	8.127	-33.950	1.125	1.13
.850	.750	5.044	.555	1.125	8.127	-33.950	1.125	1.13
.900	.800	5.442	.581	1.125	8.127	-33.950	1.125	1.13
.950	.850	5.841	.606	1.125	8.127	-33.950	1.125	1.13
1.000	.900	6.239	.631	1.125	8.127	-33.950	1.125	1.13
1.050	.950	6.637	.656	1.125	8.127	-33.950	1.125	1.13
1.100	1.000	7.035	.656	1.125	.000	.000	.000	.00
1.100	1.000	7.035	.656	1.125	.000	.000	.000	.00

YSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 SMEEROLIE CIRCULATIETANK SPT.25-34 BB
 COMP. NO 25

LEVEL FROM		VOLUME		CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM	CUBM	LPP/2	BL	CL	M2	LPP/2	CL	TRANSV LONGITUD
.100	.000	.0	-33.950	.125	-1.125	1.806	-33.950	-1.125	.25
.150	.050	.088	-33.950	.150	-1.125	1.806	-33.950	-1.125	.25
.200	.100	.177	-33.950	.175	-1.125	8.127	-33.950	-1.125	1.13
.250	.150	.265	-33.950	.235	-1.125	8.127	-33.950	-1.125	1.13
.300	.200	.664	-33.950	.269	-1.125	8.127	-33.950	-1.125	1.13
.350	.250	1.062	-33.950	.298	-1.125	8.127	-33.950	-1.125	1.13
.400	.300	1.460	-33.950	.325	-1.125	8.127	-33.950	-1.125	1.13
.450	.350	1.858	-33.950	.351	-1.125	8.127	-33.950	-1.125	1.13
.500	.400	2.257	-33.950	.378	-1.125	8.127	-33.950	-1.125	1.13
.550	.450	2.655	-33.950	.403	-1.125	8.127	-33.950	-1.125	1.13
.600	.500	3.053	-33.950	.429	-1.125	8.127	-33.950	-1.125	1.13
.650	.550	3.451	-33.950	.454	-1.125	8.127	-33.950	-1.125	1.13
.700	.600	3.849	-33.950	.480	-1.125	8.127	-33.950	-1.125	1.13
.750	.650	4.248	-33.950	.505	-1.125	8.127	-33.950	-1.125	1.13
.800	.700	4.646	-33.950	.530	-1.125	8.127	-33.950	-1.125	1.13
.850	.750	5.044	-33.950	.555	-1.125	8.127	-33.950	-1.125	1.13
.900	.800	5.442	-33.950	.581	-1.125	8.127	-33.950	-1.125	1.13
.950	.850	5.841	-33.950	.606	-1.125	8.127	-33.950	-1.125	1.13
1.000	.900	6.239	-33.950	.631	-1.125	8.127	-33.950	-1.125	1.13
1.050	.950	6.637	-33.950	.656	-1.125	8.127	-33.950	-1.125	1.13
1.100	1.000	7.035	-33.950	.656	-1.125	.000	.000	.000	.00
1.100	1.000	7.035	-33.950	.656	-1.125	.000	.000	.000	.00

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 DAGTANK SPT.40-44 BB ZWARE OLIE
 COMP. NO 47

LEVEL FROM BL BOTTOM	VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA			
		LPP/2	BL CL	M2	LPP/2	TRANSV	LONGITUD		
2.600	.000	-25.106	2.650	-8.215	2.898	-25.110	-8.224	.28	1.86
2.700	.100	-25.110	2.701	-8.224	3.006	-25.116	-8.243	.31	1.93
2.800	.200	-25.113	2.753	-8.234	3.115	-25.122	-8.261	.34	2.01
3.000	.400	-25.116	2.805	-8.244	3.223	-25.128	-8.280	.37	2.08
3.100	.500	-25.119	2.857	-8.253	3.310	-25.133	-8.295	.40	2.14
3.200	.600	-25.122	2.910	-8.262	3.396	-25.138	-8.310	.43	2.20
3.300	.700	-25.125	2.963	-8.271	3.482	-25.142	-8.325	.46	2.25
3.400	.800	-25.128	3.016	-8.279	3.568	-25.146	-8.340	.50	2.31
3.500	.900	-25.130	3.070	-8.288	3.654	-25.150	-8.355	.53	2.37
3.600	1.000	-25.133	3.124	-8.296	3.718	-25.153	-8.366	.56	2.41
3.700	1.100	-25.135	3.178	-8.304	3.783	-25.157	-8.377	.59	2.45
3.800	1.200	-25.137	3.231	-8.311	3.847	-25.160	-8.389	.61	2.50
3.900	1.300	-25.139	3.286	-8.318	3.912	-25.163	-8.400	.64	2.54
4.000	1.400	-25.141	3.340	-8.325	3.976	-25.166	-8.411	.68	2.58
4.100	1.500	-25.143	3.394	-8.332	4.021	-25.169	-8.419	.70	2.61
4.200	1.600	-25.145	3.448	-8.339	4.067	-25.172	-8.427	.72	2.64
4.300	1.700	-25.147	3.503	-8.345	4.112	-25.175	-8.435	.74	2.67
4.400	1.800	-25.149	3.557	-8.351	4.158	-25.178	-8.443	.77	2.70
4.500	1.900	-25.151	3.611	-8.357	4.203	-25.181	-8.451	.79	2.73
4.600	2.000	-25.153	3.666	-8.362	4.223	-25.183	-8.454	.80	2.74
4.700	2.100	-25.154	3.719	-8.368	4.243	-25.186	-8.458	.81	2.76
4.800	2.200	-25.156	3.773	-8.372	4.262	-25.188	-8.461	.82	2.77
4.900	2.300	-25.157	3.815	-8.381	4.282	-25.189	-8.464	.83	2.78
5.000	2.400	-25.158	3.845	-8.392	4.301	-25.190	-8.467	.84	2.79
5.100	2.500	-25.159	3.877	-8.404	4.320	-25.191	-8.470	.85	2.80
5.200	2.600	-25.160	3.909	-8.414	4.339	-25.192	-8.473	.86	2.81
5.300	2.700	-25.160	3.943	-8.424	4.358	-25.193	-8.476	.87	2.82
5.400	2.800	-25.161	3.978	-8.434	4.377	-25.194	-8.479	.88	2.83
5.500	2.900	-25.162	4.013	-8.444	4.396	-25.195	-8.482	.89	2.84
5.600	3.000	-25.162	4.048	-8.454	4.415	-25.196	-8.485	.90	2.85

YSSEL-VLIET COMBINATIE B.V. YARDNO.219 R08716
 SETTLINGTANK SPT.44-52 BB ZWARE OLLIE
 COMP. NO 51

LEVEL FROM		VOLUME CUBM	CENTRE OF GRAVITY FROM		AREA CENTRE OF AREA		MOMENT OF INERTIA	
BL	BOTTOM		LPP/2	BL	M2	LPP/2	CL	TRANSV LONGITUD
2.600	.000		-20.893	2.650	8.004	-20.898	-8.418	20.54
2.700	.100	.779	-20.898	2.700	8.106	-20.908	-8.418	20.81
2.800	.200	1.569	-20.903	2.751	8.207	-20.918	-8.435	21.09
2.900	.300	2.368	-20.908	2.802	8.309	-20.928	-8.444	21.36
3.000	.400	3.178	-20.913	2.852	8.357	-20.936	-8.448	21.51
3.100	.500	3.994	-20.918	2.903	8.406	-20.945	-8.452	21.66
3.200	.600	4.816	-20.922	2.954	8.454	-20.953	-8.456	21.81
3.300	.700	5.642	-20.927	3.005	8.502	-20.962	-8.460	21.96
3.400	.800	6.473	-20.931	3.056	8.550	-20.970	-8.464	22.11
3.500	.900	7.308	-20.936	3.107	8.571	-20.975	-8.466	22.20
3.600	1.000	8.147	-20.939	3.157	8.592	-20.979	-8.467	22.29
3.700	1.100	8.988	-20.943	3.208	8.613	-20.984	-8.469	22.37
3.800	1.200	9.831	-20.946	3.259	8.634	-20.989	-8.471	22.46
3.900	1.300	10.676	-20.950	3.310	8.655	-20.993	-8.473	22.54
4.000	1.400	11.524	-20.953	3.361	8.660	-20.995	-8.473	22.57
4.100	1.500	12.372	-20.956	3.411	8.665	-20.996	-8.474	22.60
4.200	1.600	13.221	-20.958	3.462	8.670	-20.997	-8.474	22.62
4.300	1.700	14.070	-20.962	3.513	8.675	-20.999	-8.475	22.65
4.400	1.800	14.920	-20.964	3.563	8.680	-21.000	-8.475	22.68
4.500	1.900	15.771	-20.966	3.614	8.680	-21.000	-8.475	22.68
4.600	2.000	16.621	-20.968	3.664	8.680	-21.000	-8.475	22.68
4.700	2.100	17.472	-20.969	3.714	8.680	-21.000	-8.475	22.68
4.800	2.200	18.323	-20.970	3.754	8.680	-21.000	-8.475	22.68
4.900	2.300	18.981	-20.970	3.782	4.760	-21.000	-8.825	29
5.000	2.400	19.448	-20.970	3.812	4.760	-21.000	-8.825	29
5.100	2.500	19.914	-20.971	3.843	4.760	-21.000	-8.825	29
5.200	2.600	20.381	-20.972	3.874	4.760	-21.000	-8.825	29
5.300	2.700	20.847	-20.972	3.906	4.760	-21.000	-8.825	29
5.400	2.800	21.314	-20.973	3.939	4.760	-21.000	-8.825	29
5.500	2.900	21.780	-20.973	3.939	4.760	-21.000	-8.825	29
5.500	2.900	21.780	-20.973	3.939	4.760	-21.000	-8.825	29