

TANKPEILTABELLEN

LEKOLIETANK BB SPT.35-36

SOUNDING CM	VOLUME IN CUB.M				EVEN TRIM HEAD KEEL 0.5M
	-4.0M	-3.0M	-2.0M	-1.0M	
.0	.020	.021	.022	.023	.024
5.0	.080	.080	.081	.082	.083
10.0	.139	.140	.141	.142	.143
15.0	.198	.199	.200	.201	.202
20.0	.258	.258	.259	.260	.261
25.0	.317	.318	.319	.320	.321
30.0	.376	.377	.378	.379	.380
35.0	.436	.437	.438	.439	.440
40.0	.495	.496	.497	.498	.499
45.0	.554	.555	.556	.557	.558
50.0	.614	.615	.615	.616	.618
55.0	.673	.674	.675	.676	.677
60.0	.732	.733	.734	.735	.736
65.0	.792	.793	.793	.794	.796
70.0	.851	.852	.853	.854	.855
75.0	.910	.911	.912	.913	.914
80.0	.970	.971	.971	.972	.973
85.0	1.029	1.030	1.031	1.032	1.033
90.0	1.088	1.089	1.090	1.091	1.092
95.0	1.148	1.149	1.149	1.150	1.151
100.0	1.207	1.208	1.209	1.210	1.211
105.0	1.266	1.267	1.268	1.269	1.270
110.0	1.305	1.305	1.305	1.305	1.305
115.0	1.305	1.305	1.305	1.305	1.305

TANK 6 BB ZW.OLIE SPT.24-50

SOUNDING CM	VOLUME IN CUB.M								EVEN TRIM HEAD KEEL 0.5M
	-4.0M		-3.0M		-2.0M		-1.0M		
	TRIM STERN	TRIM STERN	TRIM STERN	TRIM STERN	TRIM STERN	TRIM STERN	TRIM STERN	TRIM STERN	
.0	.04	.03	.02	.02	.07	.13			
5.0	.16	.17	.20	.25	.35	.45			
10.0	.43	.47	.51	.58	.76	.89			
15.0	.82	.85	.90	1.02	1.28	1.45			
20.0	1.27	1.30	1.37	1.58	1.91	2.10			
25.0	1.78	1.81	1.96	2.24	2.63	2.86			
30.0	2.34	2.42	2.66	3.01	3.45	3.70			
35.0	2.98	3.15	3.45	3.86	4.35	4.63			
40.0	3.75	3.99	4.35	4.80	5.34	5.63			
45.0	4.63	4.94	5.34	5.84	6.40	6.71			
50.0	5.61	5.97	6.42	6.95	7.54	7.86			
55.0	6.69	7.09	7.58	8.14	8.76	9.09			
60.0	7.86	8.30	8.82	9.40	10.04	10.39			
65.0	9.11	9.58	10.12	10.73	11.39	11.75			
70.0	10.44	10.94	11.50	12.13	12.81	13.17			
75.0	11.84	12.36	12.95	13.59	14.29	14.66			
80.0	13.32	13.86	14.46	15.12	15.83	16.21			
85.0	14.87	15.42	16.04	16.71	17.43	17.81			
90.0	16.48	17.05	17.67	18.36	19.09	19.47			
95.0	18.15	18.74	19.37	20.06	20.80	21.19			
100.0	19.89	20.49	21.13	21.83	22.58	22.97			
105.0	21.69	22.29	22.95	23.65	24.40	24.80			
110.0	23.54	24.16	24.82	25.53	26.29	26.68			
115.0	25.45	26.08	26.74	27.46	28.22	28.62			
120.0	27.42	28.05	28.72	29.44	30.21	30.60			
125.0	29.44	30.07	30.75	31.48	32.24	32.64			
130.0	31.51	32.15	32.83	33.56	34.33	34.73			
135.0	33.63	34.27	34.96	35.69	36.46	36.86			
140.0	35.79	36.45	37.14	37.87	38.64	39.04			
145.0	38.01	38.67	39.36	40.09	40.86	41.26			
150.0	40.27	40.93	41.63	42.36	43.13	43.53			
155.0	42.58	43.24	43.94	44.67	45.44	45.84			
160.0	44.93	45.59	46.29	47.03	47.80	48.19			
165.0	47.32	47.99	48.69	49.42	50.19	50.59			
170.0	49.76	50.42	51.13	51.86	52.63	53.02			
175.0	52.23	52.90	53.60	54.34	55.10	55.50			
180.0	54.74	55.41	56.12	56.85	57.62	58.01			
185.0	57.29	57.97	58.67	59.40	60.17	60.56			
190.0	59.87	60.55	61.26	61.99	62.75	63.14			
195.0	62.49	63.17	63.88	64.62	65.38	65.77			

D.B.TANK 7 SB ZW.OLIE SPT.37-52

SOUNDING CM	VOLUME IN CUB. M				EVEN KEEL	TRIM HEAD 0.5M
	-4.0M	-3.0M	TRIM STERN -2.0M	-1.0M		
.0	.03	.03	.04	.04	.45	1.05
5.0	.18	.20	.28	.57	1.72	2.38
10.0	.47	.59	.88	1.81	3.14	3.82
15.0	.94	1.25	1.95	3.26	4.65	5.36
20.0	1.65	2.23	3.40	4.79	6.24	6.98
25.0	2.60	3.58	4.96	6.40	7.90	8.66
30.0	3.84	5.15	6.59	8.09	9.62	10.41
35.0	5.36	6.80	8.29	9.83	11.40	12.20
40.0	7.03	8.52	10.05	11.63	13.24	14.05
45.0	8.76	10.29	11.87	13.47	15.11	15.94
50.0	10.55	12.12	13.73	15.37	17.03	17.88
55.0	12.39	14.00	15.64	17.30	18.99	19.85
60.0	14.28	15.92	17.58	19.28	20.99	21.86
65.0	16.21	17.88	19.57	21.29	23.02	23.90
70.0	18.19	19.88	21.59	23.33	25.09	25.98
75.0	20.20	21.91	23.65	25.41	27.19	28.08
80.0	22.24	23.98	25.74	27.52	29.32	30.22
85.0	24.32	26.08	27.86	29.66	31.47	32.39
90.0	26.43	28.21	30.01	31.82	33.66	34.58
95.0	28.57	30.37	32.18	34.02	35.87	36.80
100.0	30.74	32.55	34.39	36.24	38.10	39.04
105.0	32.93	34.77	36.62	38.48	40.36	41.31
110.0	35.15	37.00	38.87	40.75	42.64	43.60
115.0	37.40	39.27	41.15	43.04	44.95	45.91
120.0	39.67	41.55	43.45	45.36	47.28	48.24
125.0	41.97	43.86	45.77	47.69	49.63	50.60
130.0	44.28	46.19	48.11	50.05	51.99	52.97
135.0	46.62	48.54	50.48	52.42	54.38	55.36
140.0	48.98	50.92	52.86	54.82	56.79	57.78
145.0	51.36	53.31	55.27	57.23	59.21	60.21
150.0	53.76	55.72	57.69	59.67	61.65	62.65
155.0	56.18	58.15	60.12	62.11	64.11	65.12
160.0	58.61	60.59	62.58	64.58	66.59	67.60
165.0	61.06	63.05	65.05	67.06	69.08	70.09
170.0	63.53	65.53	67.54	69.56	71.59	72.60
175.0	66.02	68.03	70.05	72.07	74.11	75.13
180.0	68.52	70.54	72.56	74.60	76.64	77.67
185.0	71.04	73.06	75.10	77.14	79.19	80.22
190.0	73.57	75.60	77.64	79.70	81.75	82.79
195.0	76.11	78.15	80.21	82.26	84.33	85.37

TANK 8 BB VUILLE OLIE SPT.40-52

SOUNDING CM	VOLUME IN CUB.M				EVEN TRIM HEAD KEEL 0.5M
	-4.0M	-3.0M	-2.0M	-1.0M	
.0	.018	.017	.016	.042	.386
5.0	.147	.186	.271	.613	1.435
10.0	.442	.585	.920	1.695	2.534
15.0	.941	1.290	1.975	2.817	3.660
20.0	1.678	2.277	3.115	3.959	4.804
25.0	2.613	3.418	4.263	5.107	5.952
30.0	3.725	4.570	5.414	6.258	7.103
35.0	4.878	5.722	6.567	7.411	8.255
40.0	6.030	6.875	7.719	8.563	9.408
45.0	7.183	8.027	8.872	9.716	10.560
50.0	8.335	9.180	10.024	10.868	11.713
55.0	9.488	10.332	11.177	12.021	12.865
60.0	10.640	11.485	12.329	13.173	14.018
65.0	11.793	12.637	13.481	14.326	15.170
70.0	12.945	13.790	14.634	15.478	16.323
75.0	14.098	14.942	15.786	16.631	17.475
80.0	15.250	16.095	16.939	17.783	18.628
85.0	16.403	17.247	18.091	18.936	19.780
90.0	17.555	18.400	19.244	20.088	20.932
95.0	18.708	19.552	20.396	21.241	22.085
100.0	19.860	20.705	21.549	22.393	23.237
105.0	21.013	21.857	22.701	23.546	24.390
110.0	22.165	23.009	23.854	24.698	25.542
115.0	23.318	24.162	25.006	25.851	26.695
120.0	24.470	25.314	26.159	27.003	27.847
125.0	25.623	26.467	27.311	28.156	29.000
130.0	26.775	27.619	28.464	29.308	30.152
135.0	27.928	28.772	29.616	30.460	31.305
140.0	29.080	29.924	30.769	31.613	32.457
145.0	30.233	31.077	31.921	32.765	33.610
150.0	31.385	32.229	33.074	33.918	34.762
155.0	32.537	33.382	34.226	35.070	35.915
160.0	33.690	34.534	35.379	36.223	37.067
165.0	34.842	35.687	36.531	37.375	38.220
170.0	35.995	36.839	37.684	38.528	39.372
175.0	37.147	37.992	38.836	39.680	40.525
180.0	38.300	39.144	39.989	40.833	41.677
185.0	39.452	40.297	41.141	41.985	42.830
190.0	40.605	41.449	42.293	43.138	43.982
195.0	41.757	42.602	43.446	44.290	45.135
					45.557

TANK 9 SB SM.OLIE SPT.28-36

SOUNDING CM	VOLUME IN CUB.M							
	TRIM STERN				EVEN TRIM HEAD			
	-4.0M	-3.0M	-2.0M	-1.0M	KEEL	0.5M	KEEL	0.5M
.0	.004	.008	.015	.027	.041	.049	.041	.049
5.0	.062	.075	.090	.108	.127	.137	.127	.137
10.0	.174	.190	.208	.228	.249	.260	.249	.260
15.0	.326	.342	.360	.381	.404	.416	.404	.416
20.0	.515	.529	.546	.566	.588	.600	.588	.600
25.0	.735	.748	.764	.782	.802	.813	.802	.813
30.0	.987	.997	1.011	1.027	1.045	1.055	1.045	1.055
35.0	1.267	1.275	1.286	1.300	1.316	1.325	1.316	1.325
40.0	1.575	1.581	1.590	1.601	1.615	1.623	1.615	1.623
45.0	1.911	1.914	1.921	1.929	1.940	1.947	1.940	1.947
50.0	2.272	2.274	2.278	2.284	2.293	2.298	2.293	2.298
55.0	2.659	2.658	2.660	2.664	2.671	2.675	2.671	2.675
60.0	3.070	3.068	3.067	3.069	3.073	3.076	3.073	3.076
65.0	3.505	3.500	3.498	3.497	3.499	3.501	3.499	3.501
70.0	3.963	3.956	3.951	3.949	3.948	3.949	3.948	3.949
75.0	4.442	4.434	4.427	4.422	4.420	4.419	4.420	4.419
80.0	4.944	4.933	4.924	4.918	4.913	4.911	4.913	4.911
85.0	5.467	5.454	5.443	5.434	5.427	5.425	5.427	5.425
90.0	6.010	5.995	5.982	5.971	5.963	5.959	5.963	5.959
95.0	6.574	6.557	6.542	6.529	6.518	6.513	6.518	6.513
100.0	7.158	7.139	7.122	7.107	7.094	7.088	7.094	7.088
105.0	7.761	7.740	7.721	7.704	7.689	7.682	7.689	7.682
110.0	8.384	8.361	8.340	8.321	8.303	8.295	8.303	8.295
115.0	9.025	9.001	8.978	8.956	8.937	8.928	8.937	8.928
120.0	9.686	9.659	9.634	9.611	9.589	9.579	9.589	9.579
125.0	10.364	10.335	10.308	10.283	10.260	10.249	10.260	10.249
130.0	11.060	11.030	11.001	10.974	10.948	10.936	10.948	10.936
135.0	11.774	11.742	11.711	11.682	11.654	11.641	11.654	11.641
140.0	12.505	12.471	12.438	12.407	12.377	12.363	12.377	12.363
145.0	13.253	13.216	13.182	13.149	13.118	13.103	13.118	13.103
150.0	14.017	13.979	13.942	13.908	13.874	13.858	13.874	13.858
155.0	14.797	14.758	14.719	14.683	14.648	14.631	14.648	14.631
160.0	15.594	15.552	15.512	15.474	15.437	15.419	15.437	15.419
165.0	16.406	16.362	16.320	16.280	16.241	16.222	16.241	16.222
170.0	17.233	17.188	17.144	17.102	17.061	17.042	17.061	17.042
175.0	18.075	18.028	17.983	17.939	17.896	17.876	17.896	17.876
180.0	18.932	18.883	18.836	18.790	18.746	18.725	18.746	18.725
185.0	19.803	19.753	19.704	19.656	19.611	19.588	19.611	19.588
190.0	20.688	20.636	20.586	20.537	20.489	20.466	20.489	20.466
195.0	21.587	21.534	21.481	21.431	21.381	21.357	21.381	21.357

TANK 10 SB T.W.K. SPT.26-28

SOUNDING CM	VOLUME IN CUB.M					EVEN TRIM HEAD KEEL 0.5M
	-4.0M	-3.0M	-2.0M	-1.0M	EVEN TRIM HEAD KEEL	
.0	.010	.010	.010	.011	.011	.011
5.0	.022	.022	.022	.022	.022	.022
10.0	.038	.038	.038	.038	.038	.038
15.0	.059	.059	.059	.059	.058	.058
20.0	.086	.085	.085	.084	.084	.084
25.0	.117	.116	.116	.115	.115	.114
30.0	.153	.152	.151	.151	.150	.150
35.0	.194	.193	.192	.191	.190	.190
40.0	.239	.238	.237	.236	.235	.235
45.0	.290	.289	.287	.286	.285	.284
50.0	.345	.343	.342	.341	.339	.339
55.0	.404	.403	.401	.400	.398	.398
60.0	.469	.467	.465	.463	.462	.461
65.0	.537	.535	.534	.532	.530	.529
70.0	.610	.608	.606	.604	.602	.602
75.0	.688	.686	.684	.682	.679	.678
80.0	.770	.768	.765	.763	.761	.760
85.0	.856	.854	.851	.849	.846	.845
90.0	.946	.944	.941	.939	.936	.935
95.0	1.041	1.038	1.035	1.033	1.030	1.029
100.0	1.140	1.137	1.134	1.131	1.128	1.127
105.0	1.242	1.239	1.236	1.233	1.230	1.229
110.0	1.349	1.346	1.343	1.340	1.337	1.335
115.0	1.460	1.457	1.453	1.450	1.447	1.445
120.0	1.575	1.571	1.568	1.564	1.561	1.559
125.0	1.693	1.690	1.686	1.683	1.679	1.677
130.0	1.816	1.812	1.808	1.805	1.801	1.799
135.0	1.942	1.938	1.934	1.930	1.927	1.925
140.0	2.072	2.068	2.064	2.060	2.056	2.054
145.0	2.206	2.202	2.198	2.193	2.189	2.187
150.0	2.343	2.339	2.335	2.330	2.326	2.324
155.0	2.484	2.480	2.476	2.471	2.467	2.465
160.0	2.629	2.625	2.620	2.615	2.611	2.609
165.0	2.777	2.773	2.768	2.763	2.759	2.756
170.0	2.929	2.924	2.920	2.915	2.910	2.908
175.0	3.084	3.080	3.075	3.070	3.065	3.062
180.0	3.243	3.238	3.233	3.228	3.223	3.220
185.0	3.405	3.400	3.395	3.390	3.385	3.382
190.0	3.571	3.566	3.560	3.555	3.550	3.547
195.0	3.740	3.734	3.729	3.723	3.718	3.715

TANK 10 SB T.W.K. SPT.26-28

SOUNDING CM	VOLUME IN CUB.M				
	-4.0M	-3.0M	TRIM STERN -2.0M	-1.0M	EVEN TRIM HEAD KEEL 0.5M
200.0	3.910	3.906	3.901	3.895	3.890
205.0	3.994	3.994	3.994	3.994	3.994
210.0	3.994	3.994	3.994	3.994	3.994